

COFFMAN,GARY

DOB: 05/27/1986 Age: 31 Specimen: KS511170B Collected: 07/20/2017 10:00 Client #: 70402446 2900 TRIMBLE RD STE 107
Sex: M Fasting: Requisition: 0004775 Received: 07/20/2017 10:44 NITTLER,THOMAS B COLUMBIA, MO 65201-7180
Phone: (785) 567-6452 Report Status: FINAL Reported: 07/21/2017 06:27 EPOCH HEALTH FREE SCREEN
Patient ID: 3483 Phone: (573) 818-3067 Fax: (573) 442-6875

▲ CBC (INCLUDES DIFF/PLT)

▲ WHITE BLOOD CELL COUNT	11.9 H	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	5.20	Reference Range: 4.20-5.80 Million/uL
HEMOGLOBIN	15.3	Reference Range: 13.2-17.1 g/dL
HEMATOCRIT	47.0	Reference Range: 38.5-50.0 %
MCV	90.4	Reference Range: 80.0-100.0 fL
MCH	29.4	Reference Range: 27.0-33.0 pg
MCHC	32.6	Reference Range: 32.0-36.0 g/dL
RDW	12.4	Reference Range: 11.0-15.0 %
PLATELET COUNT	231	Reference Range: 140-400 Thousand/uL
▲ MPV	13.0 H	Reference Range: 7.5-12.5 fL
ABSOLUTE NEUTROPHILS	5902	Reference Range: 1500-7800 cells/uL
▲ ABSOLUTE LYMPHOCYTES	4486 H	Reference Range: 850-3900 cells/uL
▲ ABSOLUTE MONOCYTES	988 H	Reference Range: 200-950 cells/uL
ABSOLUTE EOSINOPHILS	428	Reference Range: 15-500 cells/uL
ABSOLUTE BASOPHILS	95	Reference Range: 0-200 cells/uL
NEUTROPHILS	49.6	%
LYMPHOCYTES	37.7	%
MONOCYTES	8.3	%
EOSINOPHILS	3.6	%
BASOPHILS	0.8	%

▲ TESTOSTERONE, TOTAL, MALES (ADULT), IA

▲ TESTOSTERONE, TOTAL, MALES (ADULT), IA	241 L	Reference Range: 250-827 ng/dL
--	-------	--------------------------------

Men with clinically significant hypogonadal symptoms and testosterone values repeatedly less than approximately 300 ng/dL may benefit from testosterone treatment after adequate risk and benefits counseling. In hypogonadal males, Testosterone, Total, LC/MS/MS, is the recommended assay due to the diminished accuracy of immunoassay at levels below 250 ng/dL. This test code (15983) must be collected in a red-top tube with no gel. Two morning (8-10 a.m.) specimens obtained on different days are recommended by The Endocrine Society for screening for hypogonadism.

PSA, TOTAL

PSA, TOTAL

0.6

Reference Range: < OR = 4.0 ng/mL

The total PSA value from this assay system is standardized against the WHO standard. The test result will be approximately 20% lower when compared to the equimolar-standardized total PSA (Beckman Coulter). Comparison of serial PSA results should be interpreted with this fact in mind.

This test was performed using the Siemens chemiluminescent method. Values obtained from different assay methods cannot be used interchangeably. PSA levels, regardless of value, should not be interpreted as absolute evidence of the presence or absence of disease.

Performing Sites

KS Quest Diagnostics-Lenexa, 10101 Renner Blvd, Lenexa, KS 66219-9752 Laboratory Director: William Becker D.O., MPH

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '@' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2017 Quest Diagnostics Incorporated. All rights reserved.