

% Free Testosterone Reference Ranges (Free/Total Testo)

Males 1.29-2.87%  
 Females pre-menopausal ages 21-47 0.59-2.01%  
 Females post-menopausal ages 42-89 0.53-2.85%

PSA (Roche Cobas e)

0.590

0-4.00 ng/mL

Reported 01/08/2017

PSA levels should not be interpreted as absolute evidence of disease, however it is widely accepted as an adjunctive test in the management of prostate cancer patients. Values obtained with different assay methods or kits can not be used interchangeably.

Post-prostatectomy PSA normal <0.05.

\*\*\*\*\* EFFECTIVE 7/25/2016 \*\*\*\*\*  
 \* CLINICAL CHEMISTRY PLATFORM CHANGES IN MAIN LABORATORY \*  
 \* ARE ASSOCIATED WITH REFERENCE RANGE CHANGES FOR A NUMBER \*  
 \* OF ANALYTES. PLEASE REVIEW REFERENCE INTERVALS CAREFULLY \*

SUNRISE MEDICAL LABORATORIES, INC. 250 MILLER PLACE HICKSVILLE, NY 11801  
 LABORATORY DIRECTOR: MILIND A. MONDKAR, M.D.  
 CLIA NUMBER 33D0654120 CAP ACCREDITATION AUID 1190990

\*\*\* END OF REPORT - FINAL \*\*\*