

Comp. Metabolic Panel (14)

Test	Current Result and Flag		Previous Result and Date		Units	Reference Interval
▲ Glucose ⁰¹	106	High	93	08/20/2021	mg/dL	65-99
BUN ⁰¹	13		14	08/20/2021	mg/dL	6-24
Creatinine ⁰¹	1.08		1.13	08/20/2021	mg/dL	0.76-1.27
eGFR	85				mL/min/1.73	>59
BUN/Creatinine Ratio	12		12	08/20/2021		9-20
Sodium ⁰¹	139		140	08/20/2021	mmol/L	134-144
Potassium ⁰¹	4.6		4.6	08/20/2021	mmol/L	3.5-5.2
Chloride ⁰¹	101		102	08/20/2021	mmol/L	96-106
Carbon Dioxide, Total ⁰¹	25		25	08/20/2021	mmol/L	20-29
Calcium ⁰¹	9.8		9.7	08/20/2021	mg/dL	8.7-10.2
Protein, Total ⁰¹	7.5		7.5	08/20/2021	g/dL	6.0-8.5
Albumin ⁰¹	4.8		4.9	08/20/2021	g/dL	4.0-5.0
Globulin, Total	2.7		2.6	08/20/2021	g/dL	1.5-4.5
A/G Ratio	1.8		1.9	08/20/2021		1.2-2.2
Bilirubin, Total ⁰¹	0.2		0.3	08/20/2021	mg/dL	0.0-1.2
Alkaline Phosphatase ⁰¹	95		85*	08/20/2021	IU/L	44-121
AST (SGOT) ⁰¹	23		22	08/20/2021	IU/L	0-40
ALT (SGPT) ⁰¹	22		25	08/20/2021	IU/L	0-44

* Previous Reference Interval: (Alkaline Phosphatase: 48-121 IU/L)

Lipid Panel

Test	Current Result and Flag		Previous Result and Date		Units	Reference Interval
▲ Cholesterol, Total ⁰¹	223	High	212	08/20/2021	mg/dL	100-199
▲ Triglycerides ⁰¹	173	High	195	08/20/2021	mg/dL	0-149
HDL Cholesterol ⁰¹	42		46	08/20/2021	mg/dL	>39
VLDL Cholesterol Cal	31		35	08/20/2021	mg/dL	5-40
▲ LDL Chol Calc (NIH)	150	High	131	08/20/2021	mg/dL	0-99

Disclaimer

The Previous Result is listed for the most recent test performed by Labcorp in the past 5 years where there is sufficient patient demographic data to match the result to the patient. Results from certain tests are excluded from the Previous Result display.

Icon Legend

▲ Out of Reference Range ■ Critical or Alert

Performing Labs

01: BN - Labcorp Burlington 1447 York Court, Burlington, NC, 27215-3361 Dir: Sanjai Nagendra, MD
For Inquiries, the physician may contact Branch: 800-631-5250 Lab: 800-762-4344

